
SHOWER DOORS

for Standard & Custom Showers -

Included in this section:

INFORMATION & SIZING

- ◆ Common Terms and Definitions
- ◆ How to Measure for Straight Showers
- ♦ How to Measure for Showers with Half Walls or Benches
- ◆ How to Find the Centerline of Corner Shower Curbs
- ◆ How to Determine Angles on Corner Showers



SEMI-FRAMELESS DOORS

- ♦ Single Door
- ◆ Door with Panel
- ◆ Neo Angle
- ◆ Dual Curb
- ◆ Bench Seat Showers



Page 4




Page 6



Page 10




Page 12




Page 7 & 9

By-Pass SLIDING DOORS

- ◆ Full Height for Showers
- ◆ Special Height for Tubs
- ♦ Bench Seat Showers



Page 14



Page 16




3/8" Glass - FULLY FRAMELESS

- ◆ Single Door
- ◆ Door with Panel
- ◆ Bench Seat Showers



Page 18



Page 18





SHOWER DOORS - Sizing & Installation

— See the STANDARD SHOWER section for Base, Walls and Door Kit pricing —— USE THE STANDARD OF CUSTOM "SHOWER DOOR" ORDER FORMS TO ORDER ANYTHING IN THIS SECTION

KEY:


◆ Level - Being on a plane parallel to the horizon with no part higher than another



- ◆ Plumb Being perpendicular, or straight up, from the horizontal plane
- ◆ Centerline The line that divides the Shower Curb along which the glass panes will be positioned
- ◆ Lite Industry term for a Glass Panel
- ◆ Return Panel A Glass Panel that goes away from the front of the Shower
- ◆ Frameless Door Door Lite has no metal framing
 - Side Lites have framing on bottom and wall sides
- ◆ Semi-Frameless Door Door Lite has metal framing on hinge side only Side Lites are framed on all sides

SHOWER DOOR SIZING - General

- ▶ When ordering a Door for any of our **Standard Showers**, simply state the size of the Shower Base as given in the catalog (for example, 36" x 36" Low Profile, or 36" x 32" Regular Profile).
- ▶ When ordering a Door for one of our Custom Showers, please issue a SEPARATE Purchase Order #, and include the Shower Base Order number on the Door Order Form as well.
- ▶ If ordering a Door for a **Shower not made by us**, specify if you are providing the Stud-to-Stud dimension (if not using our panels, specify panel/tile thickness), or the dimension between the finished walls (see drawing below).




Subtract Sheetrock thickness (x2) + Panel thickness (x2) from Stud-to-Stud Dimension to determine Shower Door Width (Measure at the base and at 6' to make sure the walls are straight)

Measuring for Shower Doors


- ► Measure at the BASE of the opening.
- ▶ Measure HALF WAY between the base and the top.
- ► Measure at the TOP of the opening.
- ▶ Make sure Shower Base is level.
- ► Check the Side Walls for plumb.

For ANGLED CURB Showers


- ▶ Give the Centerline dimensions of the Angled Curb.
- ► Provide all Curb angles.



The Centerline is an imaginary line that divides the Shower Curb, along which the glass panes will be positioned.




SHOWER DOORS - Sizing & Installation



Belvue, KS 66407-9664 * (785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com


Straight Curb Shower Measuring Guide For Shower Doors



(785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com


Double Curb Shower Measuring Guide For Shower Door

Belvue, KS 66407-9664 *



Belvue, KS 66407-9664 * (785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com


Three Sided Curb Shower Measuring Guide For Shower Door






Belvue, KS 66407-9664 * (785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com


Single Curb w/ Inline Buttress Shower Measuring Guide For Shower Door






Belvue, KS 66407-9664 * (785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com

Single Curb Shower w/ Buttress Return Measuring Guide For Shower Door





Belvue, KS 66407-9664 * (785) 456 8604 * FAX (785) 456-8204 * www.onyxcollection.com

Single Curb Shower w/ Inline Buttress and Return Measuring Guide

